



NPS Asset Inventory Summary - By Region

AKR		Alaska Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	999	0.050	\$8,858,507	\$25,230,871	\$508,985,111	999,662	SF	
Housing*:	304	0.065	\$1,930,678	\$6,413,146	\$98,611,643	302,928	SF	
Campgrounds:	20	0.045	\$57,000	\$507,300	\$11,157,971	116	AC	
Trails:	171	0.095	\$5,224,339	\$10,901,774	\$114,391,821	2,913,241	LF	
Waste Water Systems:	56	0.067	\$206,843	\$2,185,511	\$32,831,344	221,021	GPD	
Water Systems:	53	0.040	\$351,531	\$2,860,312	\$70,985,314	276,129	GPD	
Unpaved Roads† :	139	0.177	\$7,000,070	\$18,235,655	\$103,265,768	-	-	
Paved Roads‡:	78	0.208	-	\$35,522,012	\$170,664,360	-	-	
All Other§ :	590	0.048	\$4,150,835	\$12,820,458	\$266,514,196	-	-	
TOTAL:	2,410	0.083	\$27,779,803	\$114,677,038	\$1,377,407,528	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB



NPS Asset Inventory Summary - By Region

IMR		Intermountain Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	6,729	0.073	\$77,393,286	\$309,156,910	\$4,251,239,818	11,160,726	SF	
Housing*:	1,593	0.080	\$15,953,279	\$57,709,827	\$725,243,542	2,583,868	SF	
Campgrounds:	516	0.053	\$714,379	\$20,163,628	\$380,632,523	47,082	AC	
Trails:	1,599	0.120	\$51,952,980	\$134,347,263	\$1,118,004,569	25,928,588	LF	
Waste Water Systems:	439	0.126	\$34,264,282	\$95,145,705	\$757,487,563	7,383,750	GPD	
Water Systems:	324	0.179	\$124,989,223	\$272,080,047	\$1,521,758,466	15,753,477	GPD	
Unpaved Roads† :	1,381	0.064	\$21,913,225	\$42,738,329	\$666,336,739	-	-	
Paved Roads‡:	3,041	0.240	-	\$1,390,157,346	\$5,795,419,884	-	-	
All Other§ :	3,845	0.041	\$38,120,952	\$147,297,502	\$3,555,407,884	-	-	
TOTAL:	19,467	0.132	\$365,301,608	\$2,468,796,557	\$18,771,530,988	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB



NPS Asset Inventory Summary - By Region

MWR		Midwest Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2,613	0.048	\$83,448,226	\$180,856,710	\$3,774,828,208	5,475,918	SF	
Housing*:	256	0.060	\$4,911,779	\$9,760,327	\$163,957,545	423,700	SF	
Campgrounds:	158	0.083	\$7,585,105	\$7,495,111	\$90,023,902	1,394	AC	
Trails:	538	0.066	\$8,460,111	\$15,544,186	\$233,754,061	6,896,988	LF	
Waste Water Systems:	211	0.087	\$8,115,227	\$8,950,052	\$103,206,045	747,303	GPD	
Water Systems:	240	0.069	\$7,871,796	\$10,351,107	\$149,271,548	1,924,646	GPD	
Unpaved Roads† :	521	0.075	\$4,734,968	\$12,502,298	\$165,623,238	-	-	
Paved Roads‡:	805	0.186	-	\$135,877,812	\$730,229,074	-	-	
All Other§ :	1,771	0.022	\$25,548,307	\$52,980,687	\$2,407,893,034	-	-	
TOTAL:	7,113	0.056	\$150,675,517	\$434,318,290	\$7,818,786,654	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB



NPS Asset Inventory Summary - By Region

NCR		National Capital Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1,180	0.071	\$42,329,496	\$175,484,403	\$2,471,135,218	3,201,153	SF	
Housing*:	33	0.129	\$332,059	\$1,617,332	\$12,563,092	62,707	SF	
Campgrounds:	27	0.055	\$149,999	\$1,179,227	\$21,325,082	313	AC	
Trails:	339	0.064	\$21,560,984	\$52,770,128	\$819,479,773	2,484,357	LF	
Waste Water Systems:	43	0.199	\$1,330,917	\$6,489,888	\$32,567,199	586,002	GPD	
Water Systems:	29	0.009	\$29,678	\$929,802	\$100,934,166	4,013,483	GPD	
Unpaved Roads† :	264	0.024	\$532,574	\$1,650,364	\$69,552,937	-	-	
Paved Roads‡:	867	0.251	-	\$681,527,075	\$2,719,104,643	-	-	
All Other§ :	1,555	0.083	\$470,987,469	\$956,824,418	\$11,476,249,271	-	-	
TOTAL:	4,337	0.106	\$537,253,175	\$1,878,472,637	\$17,722,911,382	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB



NPS Asset Inventory Summary - By Region

NER		Northeast Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4,091	0.101	\$137,896,987	\$647,800,500	\$6,384,144,060	11,914,900	SF	
Housing*:	370	0.112	\$14,027,374	\$40,423,470	\$361,259,142	1,001,189	SF	
Campgrounds:	76	0.026	\$328,079	\$1,941,242	\$75,897,772	700	AC	
Trails:	934	0.133	\$19,256,472	\$64,894,791	\$486,780,406	18,892,213	LF	
Waste Water Systems:	195	0.048	\$2,964,705	\$16,693,146	\$348,179,151	1,364,679	GPD	
Water Systems:	169	0.062	\$6,628,506	\$19,636,266	\$316,461,444	2,165,983	GPD	
Unpaved Roads† :	935	0.043	\$10,043,429	\$37,555,230	\$865,258,380	-	-	
Paved Roads‡:	1,751	0.359	-	\$923,087,468	\$2,569,468,481	-	-	
All Other§ :	2,868	0.028	\$126,672,922	\$388,167,993	\$13,716,149,735	-	-	
TOTAL:	11,389	0.085	\$317,818,473	\$2,140,200,107	\$25,123,598,570	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB



NPS Asset Inventory Summary - By Region

PWR		Pacific West						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	5,962	0.090	\$169,543,817	\$453,186,033	\$5,042,394,281	9,304,008	SF	
Housing*:	1,079	0.091	\$15,810,120	\$42,979,653	\$472,410,216	1,568,626	SF	
Campgrounds:	344	0.067	\$731,921	\$33,823,982	\$503,279,259	4,963	AC	
Trails:	1,583	0.090	\$44,634,838	\$120,080,047	\$1,332,609,778	24,153,094	LF	
Waste Water Systems:	447	0.257	\$60,532,555	\$121,593,201	\$472,636,405	6,111,683	GPD	
Water Systems:	432	0.071	\$27,272,897	\$101,001,295	\$1,419,733,441	14,178,704	GPD	
Unpaved Roads† :	1,502	0.060	\$20,320,521	\$61,871,664	\$1,023,401,735	-	-	
Paved Roads‡:	2,124	0.251	-	\$1,540,851,794	\$6,144,971,341	-	-	
All Other§ :	3,112	0.028	\$138,367,212	\$267,624,959	\$9,621,147,278	-	-	
TOTAL:	16,585	0.105	\$477,213,881	\$2,743,012,628	\$26,032,583,734	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheatres.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB



NPS Asset Inventory Summary - By Region

SER		Southeast Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3,190	0.058	\$43,336,205	\$168,262,847	\$2,914,237,296	4,481,031	SF	
Housing*:	321	0.122	\$6,972,292	\$21,538,411	\$177,216,821	545,430	SF	
Campgrounds:	246	0.044	\$546,539	\$7,861,086	\$177,232,051	1,387	AC	
Trails:	1,048	0.110	\$22,168,400	\$83,069,973	\$752,106,818	14,407,780	LF	
Waste Water Systems:	509	0.132	\$7,391,425	\$19,449,154	\$147,129,028	2,351,563	GPD	
Water Systems:	301	0.056	\$5,665,804	\$15,243,000	\$273,601,434	4,993,878	GPD	
Unpaved Roads† :	754	0.076	\$7,429,520	\$23,137,803	\$304,498,296	-	-	
Paved Roads‡:	3,304	0.169	-	\$1,266,362,343	\$7,508,949,604	-	-	
All Other§ :	4,533	0.009	\$79,007,474	\$540,197,805	\$57,490,453,838	-	-	
TOTAL:	14,206	0.031	\$172,517,658	\$2,145,122,421	\$69,745,425,187	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB



NPS Asset Inventory Summary - By Region

WASO		Washington, DC Office						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	9	0.046	\$520,550	\$1,639,578	\$35,930,439	67,723	SF	
Housing*:	1	0.000	\$0	\$0	\$248,324	1,320	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$223,774	-	-	
Paved Roads‡:	4	0.343	-	\$1,171,521	\$3,418,144	-	-	
All Other§ :	4	0.001	\$0	3,198	\$5,426,632	-	-	
TOTAL:	19	0.062	\$520,550	\$2,814,296	\$45,247,313	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas and unpaved roadways.

‡ Paved Roads includes bridges, tunnels, paved parking areas and paved roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.

Please note that the parameters used to calculate the data in the report above do not match the Federal Real Property Profile (FRPP) parameters or the Federal Accounting Standards Advisory Board (FASAB) parameters. Therefore, the inventory counts, FCI, CSDM, DM, CRV and QTY data elements will not match those reported to the FRPP or FASAB