## (Attach 4" x 5" Black and White Photograph)

REGION_	RMR	PARK/AREA NAME	ROMO	PARK NUMBER	1520	-			
STRUCTUR	E NAME Fall	River Pass Ranger	Station	STRUCTURE NUMBER_	HS-58				
LOCATION	OF STRUCTU	JRE Fall River Pass	3	PARK LOCATION CODE_	FP				
NATIONAL	REGISTER_	determined eligible SHPO DA	re: <u>8/ /</u>	75 MANAGEMENT CATEGORY:	· (A) (B)	(£) (D)			
NPS LEGA	L INTEREST_	Fee		MANAGEMENT AGREEMENT	: No	<del></del>			
Check al	1 of the fo	ollowing categories	s for which	NPS has treatment resp	onsibility	·:			
Stabiliz	ation(X) Cyc	:lic Maintenance()	Routine Man	Intenance(X Approved U1	timate Tre	eatment (3			
(ROCKY M	OUNTAIN REG	GION USE ONLY)							
APPROVED	ULTIMATE I	REATMENT OR RESOU	RCE MANAGEMI	ENT PLAN, CULTURAL COMP	ONENT DESI	GNATION:			
Preserva Adaptive Neglect		(PP) Restoration (AP) Adaptive (NG) Remove		(RR) Reconstruction (AR) Adaptive Recons (RM) No Approved Tre	truction (	CC) AC) NO)			
• •	Document_d Treatment	Costs		( )Document Date:	/_/_				
	Stabilization: \$ Date: / / Estimate: (A) (B) (C) Approved Treatment: \$ Date: / / Estimator: (Region) (DSC) (A&E)								
STATEMEN	T OF SIGNIF	FICANCE:							
Architec History	Construction t/Designer:	Daniel P. Hull The Fall River	Historical Pass Ranger	Station was constructed	d in 1922.	_			
It served as a ranger station until 1932 when it temporarily became a nature museum when Trail Ridge Road opened. In 1937 the structure reverted to its original use when the Fall River Pass Store took over the function of the museum. It currently is vacant. Plans									
for the	structure w	ere designed by Da	niel P. Hull	, Assistant Landscape E	ngineer in	the			
	NPS Yosemite Valley Office.  Evaluation of Structure: Historic Theme Contributing X Non-Contributing								
National Register Criteria: A B CXD (Include integrity statement)									
The unaltered Fall River Pass Ranger Station is an excellent example of early NPS									
Rustic Architecture. The use of rubble stone masonry, with lumber decked roof weighted against the wind by randomly set boulders all contribute to the historical and architecture									
Bibliography: character of the NPS Rustic Theme //// ROMO Building Maintenance Files;									
Supt Annual Reports 1915-1930; Wheaton, Rodd National Register of Hist. Places Nomination Representation in Other Surveys: LCS, Lance Williams, 6/29/76 July, 75									
		een removed, how?	N/A	Date:	/ /	; - -			
Report p	repared by:	Carl and Karen	McWilliams	Date:	8 /20 /85	_			

CONTINUATION FROM FRONT SHEET - STRUCTURE NAME 58 Fal	1 River Pass Ranger Station
LOCATION: Section 30 State CO	USE: CURRENT INTERIOR USE (NPS 28 CODE) 00
Township 6N County Larimer	Original Use Ranger Station
Range 75W	Intermediate Uses Nature museum
	PERIOD OF CONSTRUCTION (NPS 28 CODE) HI
OWNERSHIP: Present Owner: U.S. Gov't	DRAWING NO.
Original Owner: U.S. Gov't	
Intermediate Owner(s): None	Roll 24 Hegative 3
***PHYSICAL	DESCRIPTION***
TYPE OF STRUCTURE (NPS 28 CODE): BU	CHIMNEYS: Oneof uncoursed fieldstone, interior, on SW elev
ARCHITECTURAL CHARACTER (STYLE):	
SITE (INCLUDE ORIENTATION OF STRUCTURE): Open tundra, steep decline to SE. Alpine Visitor Center to NE.	PORCHES: Onestone and poured concrete stoop, on facade
Facade to SE OVERALL BUILDING PLAN (FOOTPRINT): Rectangular OVERALL DIMENSIONS: 20'0" by 16'0"	WINDOWS: Six window openings are boarded over with plywood.  Brown, rectangular wood frames, flat arches.
COMPOSITION (NPS 28 CODE): ST	
STORIES: One	DOORS: Onesingle, brown, wood panelled, on facade
FOUNDATION: Stone walls serve as foundation	
	ADDITIONS: None
WALLS: Uncoursed fieldstone	TAMERATOR BY AN
	INTERIOR PLAN: One room currently vacant
ROOF: Shed. Green rolled asphalt topped by wood planks with large stones for protection against high winds	<pre>INTERIOR FINISHES: Walls and ceiling: 1" by 6" milled lumber</pre>

## (Attach 4" x 5" Black and White Photograph)

REGION RMR	PARK/AREA NAME	ROMO	PARK NUMBER	1520		
STRUCTURE NAME	Fall River Pass	Store STR	UCTURE NUMBER_	HS-170		
LOCATION OF STRUCT	TURE Fall River Pass determined	PARK	LOCATION CODE_	FP		
NATIONAL REGISTER	eligible SHPO DATE	8 / / <sup>75</sup> MANAGE	MENT CATEGORY:	(A) (B)	(C) (Ŋ)	
NPS LEGAL INTERES	T <u>Fee</u> .	MANAGE	MENT AGREEMENT	:_cc	<del></del>	
Check all of the	following categories	for which NPS has	treatment respons	onsibility	:	
Stabilization() Cy	yclic Maintenance() F	outine Maintenance	()X Approved Ult	timate Tre	atment (K)	
(ROCKY MOUNTAIN R	EGION USE ONLY)		·			
APPROVED ULTIMATE	TREATMENT OR RESOURCE	E MANAGEMENT PLAN,	CULTURAL COMPO	ONENT DESI	GNATION:	
Preservation Adaptive Preserva Neglect	(PP) Restoration (AP) Adaptive F	Restoration (AR) A	econstruction daptive Reconst o Approved Trea	truction (	CC) AC) NO)	
Approval Document		( )Docu	ment Date:	/ /		
Estimated Treatmen	nt Costs	Leve	l of			
Stabilization: Approved Treatmen	\$Date: t: \$Date:	<u>//</u> Esti	mate: (A) (B)	(C) n) (DSC) (	A&E)	
STATEMENT OF SIGN	IFICANCE:					
Date of Construction:  Architect/Designer:  History of Structure:  Constructed by the Rocky Mountain Motor Company in 1936 and opened to public in 1937  Finlarged in 1937, 1965, and 1971. Original building forms S.W.  corner of existing Building. Plans were designed by personnel of the Branch of Plans and Design under the supervision of W.G. Carnes, Deputy Chief Architect.						
Architect/Designer History of Structure to public in 1937 corner of existing	r: Rocky Mtn. Motor ure: Constructed by Fularged in 1937. g Building. Plans we	Historical Theme(s the Rocky Mountain 1965, and 1971, Or re designed by pers	Motor Company : iginal building onnel of the Bra	in 1936 and	•	
Architect/Designer History of Structs to public in 1937 corner of existing and Design under  Evaluation of Structs National Register Built in 1936, in Pass Store, has retained building remain Bibliography: Nat	r: Rocky Mtn. Motorure: Constructed by Fnlarged in 1937. g Building. Plans we the supervision of W.  ucture: Historic The Criteria: A B CX the NPS Rustic Archi eccived several recent ns intact and the stru ional Register of His uilding Maintenance F	the Rocky Mountain 1965, and 1971. Or re designed by pers 3. Carnes, Deputy Comme Contributing x D_ (Include integrated Style, Stradditions. However the contributions of the constitution	Motor Company iginal building onnel of the Brahief Architect.  Non-Contributive statement) ucture 170, the r, the historic ruction constitution, by Ferrel Reports 1931-19	in 1936 and forms S.W. anch of Planting	r of the park best examples of NPS	
Architect/Designer History of Structs to public in 1937 corner of existing and Design under  Evaluation of Structs National Register Built in 1936, in Pass Store, has re the building remain Bibliography: Nat July 1975. ROMO B Representation in	r: Rocky Mtn. Motorure: Constructed by Fnlarged in 1937. g Building. Plans we the supervision of W.  ucture: Historic The Criteria: A B CX the NPS Rustic Archi eccived several recent ns intact and the stru ional Register of His uilding Maintenance F	the Rocky Mountain 1965. and 1971. Or re designed by pers G. Carnes, Deputy C  me Contributing x D_ (Include integratectural Style, Stradditions. However cture's stone constitution of Places Nomina iles."Supt. Annual LCS, David Adam N/A	Motor Company iginal building onnel of the Brahief Architect.  Non-Contributive statement) ucture 170, the r, the historic ruction constitution, by Ferrel Reports 1931-19	in 1936 and forms S.W. anch of Planting	r of the park best examples of NPS	

CONTINUATION FROM FRONT SHEET - STRUCTURE NAME HS-170	Fall River Pass Store			
LOCATION: Section 36 State CO  Township 6N County Larimer  Range 75W  OWNERSHIP: Present Owner: U.S. Gov't  Original Owner: ILS. Gov't  Intermediate Owner(s): same	USE: CURRENT INTERIOR USE (NPS 28 CODE)  Original Use Same  Intermediate Uses Same  PERIOD OF CONSTRUCTION (NPS 28 CODE) HI  DRAWING NO. RM 3086-C  NEGATIVE NO.			
***PHYSICAL D				
TYPE OF STRUCTURE (NPS 28 CODE): BU	CHIMNEYS: none visible			
ARCHITECTURAL CHARACTER (STYLE):	•			
SITE (INCLUDE ORIENTATION OF STRUCTURE): Open, native tundra, steep decline to SE sidewalk, asphalt parking lot and facade to NW OVERALL BUILDING PLAN (FOOTPRINT): Two wings form a "V" shape. Bays: 10 by 3: piles: 2	PORCHES: oneenclosed porch, with gable end hood covering one bay, on facade  WINDOWS: 31large single light, fixed pane, each flanked by			
overall dimensions: 197'0" by 47'0"	one or two smaller single light fixed pane. Two windows have been replaced with stone. Rectangular, brown wood frame,			
COMPOSITION (NPS 28 CODE): ST, WD	flat arches  DOORS: fourdouble or single, brown hollowcore			
STORIES: two	books. Tour addute of single, brown nortowcore			
FOUNDATION: Stone walls serve as foundation	ADDITIONS: 27' by 40' addition to N end in 1937. 19' extension to E circa 1965. 110' extension to NE in 1971.			
WALLS: Predominantly uncoursed fieldstone with some vert wood siding veneer. Walls are buttressed at corners	<pre>INTERIOR PLAN: Rooms used as concessioner operated curio shop, food service and storage</pre>			
ROOF: Intersecting gables; brown wood shingles with exposed rafter ends	INTERIOR FINISHES: Walls: predominantly knotty pine panelling Ceiling: massive 4" by 10" or log beams. Floors: linoleum, ceramic tile, carpet			

## CLASSIFIED STRUCTURE FIELD INVENTORY REPORT (Attach 4" x 5" Black and White Photograph)

REGION RMR	PARK/AREA NAME	CMON	PARK N	UMBER_	1520		
STRUCTURE NAME	Alpine Visitor Ce	enter	STRUCTURE N	UMBER	HS-543	3	
LOCATION OF STRUCTO	URE Fall River Pass		PARK LOCATION	CODE	FP		
NATIONAL REGISTER_	pending DATE:	: _/_/_	MANAGEMENT CAT	EGORY:	(A) (	(B) (Š	) (D)
NPS LEGAL INTEREST	Fee		MANAGEMENT AGR	EEMENT:	LL,SU	,CC	
Check all of the fo	ollowing categories	for which N	PS has treatmen	t respo	nsibil	Lity:	
Stabilization(X) Cyc	clic MaintenanceX) Ro	outine Main	tenance(X Appro	ved Ult	imate	Treat	nent(
(ROCKY MOUNTAIN REC	GION USE ONLY)						
APPROVED ULTIMATE	TREATMENT OR RESOURCE	e managemen	T PLAN, CULTURA	L COMPO	NENT I	ESIGN	ATION
Preservation Adaptive Preservat: Neglect	(PP) Restoration ion (AP) Adaptive Re (NG) Remove	estoration	(RR) Reconstru (AR) Adaptive (RM) No Approv	Reconst			)
Approval Document_ Estimated Treatment	t Costs		( )Document Dat	e: <u>/</u>		_	
Stabilization: Approved Treatment:	\$Date:		Level of Estimate: ( Estimator:	(A) (B) (Region	• •	C) (A&:	E)
STATEMENT OF SIGNII	FICANCE:						
The structure was dof Design and Const	on: // 1964 In O'Shea, Kane In ore: The Alpine Visitor Resigned by various meaning truction, under the surface W. Baker, Regional Discussion and Construction	or Center wa embers of th upervision of irector, Reg	Theme(s): NPS R as built in 1964 ne Branch of Arc of J.M. O'Shea &	at a c hitectu D.A. K	ost of re, We ane, D	stern CSSC.	Offic
National Register ( Built, in 1964, this	cture: Historic Ther Criteria: A_B_C_1 structure is of too the theme of NPS Rusti	D_ (Include recent cons	integrity statestruction and it	ement) s archi	tectur	e does	
Bibliography: Project 121-211 701 Representation in 0				letion	Report	for	
		N/A		Data			
If structure has be				_Date:	0 1	0.5	
Report prepared by:	Carl and Karen Mo	CWIIIIAMS		Date:	8 /1 /	رم	

5 607

CONTINUATI	ON FROM FRONT SHEET -	STRUCTURE NAME MS-543 A1	lpine Visitor Center			
LOCATION:	Section 36	State CO	USE: CURRENT INTERIOR USE (NPS 28 CODE) VC			
•	Township 6n	County Larimer	Original Use Visitor Contact			
	Range 75W	-	Intermediate Uses Same			
			PERIOD OF CONSTRUCTION (NPS 28 CODE) HI			
OWNERSHIP:	Present Owner: U.S.	Government	DRAWING NO. RM 3542-C			
	Original Owner: U.S.	Government	NEGATIVE NO.			
	Intermediate Owner(s): None					
***************************************						
		***PHYSICAL I	DESCRIPTION***			
TYPE OF ST	RUCTURE (NPS 28 CODE):	BU	CHIMNEYS: Two- Metal ventpipes			
ARCHITECTU	RAL CHARACTER (STYLE):					
acade to no OVERALL BU piles: 2	orth west	CUCTURE): Open, native tund rge asphalt parking lot and D:Rectangular Bays: 4 by 2 0" by 30'0"				
COMPOSITIO	N (NPS 28 CODE): ST					
STORIES:	One		<pre>DOORS: two double, brown, solid wood, on facade. twosingle, brown, hollowcore on SE elev.</pre>			
FOUNDATION	: Stone wall exterior	is level with grade				
			ADDITIONS: None			
	eel frame and concrete tone veneer	with uncoursed	<pre>INTERIOR PLAN: Six rooms used as Alpine Visitor Center and two apartments</pre>			
ROOF: Intersecting gables. Brown wood shingles with exposed timber rafter ends. Log lattice on top of wood shingles			<pre>INTERIOR FINISHES: Walls and vaulted ceilings: plasterboar Floors: linoleum and ceramic tile</pre>			
		•	·			

SIGNIFICANT ARCHITECTURAL FEATURES (INCLUDING INTERIOR AND SETTING) FOR PARK PLANNING PURPOSES:

## CLASSIFIED STRUCTURE FIELD INVENTORY REPORT (Attach 4" x 5" Black and White Photograph)

The state of the s

REGION RMR PARK/AREA NAME ROMO	PARK NUMBER 1520
STRUCTURE NAME Generator House	STRUCTURE NUMBER 692
LOCATION OF STRUCTURE Fall River Pass	PARK LOCATION CODE FP
NATIONAL REGISTER O DATE: //	MANAGEMENT CATEGORY: (A) (B) (C) (D)
NPS LEGAL INTEREST FEE	MANAGEMENT AGREEMENT: NO
Check all of the following categories for which N	MPS has treatment responsibility:
Stabilization (%) Cyclic Maintenance (%) Routine Main	tenance (A) Approved Ultimate Treatment (A)
(ROCKY MOUNTAIN REGION USE ONLY)	
APPROVED ULTIMATE TREATMENT OR RESOURCE MANAGEMEN	T PLAN, CULTURAL COMPONENT DESIGNATION:
Preservation (PP) Restoration Adaptive Preservation (AP) Adaptive Restoration Neglect (NG) Remove	(RR) Reconstruction (CC) (AR) Adaptive Reconstruction (AC) (RM) No Approved Treatment (NO)
Approval Document Estimated Treatment Costs	( )Document Date: //
Stabilization: \$ Date: // Approved Treatment: \$ Date: //	Level of Estimate: (A) (B) (C) Estimator: (Region) (DSC) (A&E)
STATEMENT OF SIGNIFICANCE:	
Date of Construction: / / 1963 Date of Alt	erations: / /
Architect/Designer: P.A. Kay Historical	Theme(s): NPS Rustic Architecture
History of Structure: Designed by P.A. Kay and of Architecture, Western Office of Design and Constru	other personnel of the Division of
Howard W. Baker, Regional Director, Midwest Region	
noticeably uncoursed fieldstone, to blend in with	natural environment. The structure was
built during the NPS Mission 66 Construction period	)d
Evaluation of Structure: Historic Theme Contributional Register Criteria: A B C D (Include Built in 1963, this stone structure is of too received.	~ <del>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </del>
inclusion in the National Register. The building	
Bibliography: ROMO Ruilding Maintenance files	
Representation in Other Surveys: None	
If structure has been removed, how? N/A	Date: / /
Report prepared by: Carl and Karen McWilliams	Date: 8 / 1/1985

5 257

CONTINUATION FROM FRONT SHEET - STRUCTURE NAME 692	Generator House		
LOCATION: Section 36 State CO  Township 6N County Larimer  Range 75W	USE: CURRENT INTERIOR USE (NPS 28 CODE) NM  Original Use Generator House  Intermediate Uses Same  PERIOD OF CONSTRUCTION (NPS 28 CODE) HI		
OWNERSHIP: Present Owner: U.S. Govt. Original Owner: U.S. Govt. Intermediate Owner(s): None			
***PHYSICAL DI	ESCRIPTION***		
TYPE OF STRUCTURE (NPS 28 CODE):  BU  ARCHITECTURAL CHARACTER (STYLE):	CHIMNEYS: One - Large, of uncoursed fieldstone, on NW elev., exterior.		
SITE (INCLUDE ORIENTATION OF STRUCTURE): Open, native tundra. Slope NW to SE. Rock retaining wall to SW. Asphalt parking lot and facade to SE.	PORCHES: None		
OVERALL BUILDING PLAN (FOOTPRINT): Rectangular Bays: · 3 by 1; Pile: OVERALL DIMENSIONS: 28'0" by 22'0"	WINDOWS: None		
COMPOSITION (NPS 28 CODE): ST STORIES: One	DOORS: Two - Double hinged, brown, plywood, on facade.		
FOUNDATION: Stone walls are level with grade. Building is set into grade.	ADDITIONS: None		
WALLS: Uncoursed fieldstone exterior.	INTERIOR PLAN: One room used as generator room.		
ROOF: Gable. Brown wood shingles with box cornice.	INTERIOR FINISHES: Concrete walls, ceiling, floor.		



LCS No Photo No Subject			VISITO	r c	EN1	ER
escrip.	of of	View Subject	FALL	RIVE	R PH	755
Location	of	Negativ	7e			
Ry / AA	JCE	J. 0	DLIVIER		4/-	7